

	L #	Hits	Search Text	DBs
1	L1	3302	(instruction near20 (dependen\$2 conflict\$3) near20 (address operand memory register load store read write))	USPAT; US-PGPUB
2	L2	6126	(determin\$3 detect\$3 indicat\$3 identif\$6 check\$3 compar\$4) near20 ((possib\$5 lik\$7) near20 (dependen\$2 conflict\$3))	USPAT; US-PGPUB
3	L3	234	1 and 2	USPAT; US-PGPUB
4	L4	156	(dependen\$2 conflict\$3 order\$3 load store).ab,ti. and 3	USPAT; US-PGPUB
5	L5	410	((hash\$3 low exclusive xor\$3) near10 address near10 (bit entry)) and 1	USPAT; US-PGPUB
6	L6	865	(conver\$4 transform\$3 hash\$3 exclusive xor compar\$3) near20 address near20 (number slot id identif\$6 entry bit low\$3 line part\$5 protion) and 1	USPAT; US-PGPUB
7	L7	275	(dependen\$2 conflict\$3 order\$3 (load and store)).ab,ti. and 6 not 4	USPAT; US-PGPUB
8	L8	121	(dependen\$2 conflict\$3 order\$3 load store).ab,ti. and 5 not (4 7)	USPAT; US-PGPUB
9	L9	548	instruction near20 (dependen\$2 conflict\$3) near20 (address operand memory register load store read write)	EPO; JPO; DERWENT; IBM_TDB
10	L10	490	(determin\$3 detect\$3 indicat\$3 identif\$6 check\$3 compar\$4) near20 ((possib\$5 lik\$7) near20 (dependen\$2 conflict\$3))	EPO; JPO; DERWENT; IBM_TDB
11	L11	59555	(conver\$4 transform\$3 translat\$3 hash\$3 exclusive xor entry id identif\$6 reduc\$4 cod\$3 encod\$3) near10 address	EPO; JPO; DERWENT; IBM_TDB
12	L13	54	9 and (10 11)	EPO; JPO; DERWENT; IBM_TDB
13	L14	289	5 not 8	USPAT; US-PGPUB
14	L15	121	5 not 14	USPAT; US-PGPUB
15	L19	63	1 and (\$5ambigu\$5 near20 address)	USPAT; US-PGPUB

BEST AVAILABLE COPY